

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru - 560100



CERTIFICATE OF LISTING

IAPMO India Pvt. Ltd. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is combined with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

Issued To:

Hindware Limited

No. 301-302, 3rd Floor, Park Centra, Sector 30, N.H-8, Gurgaon, Haryana, India 122001

Product:

Dual Flush Water Closets

Products are in compliance with the following code(s):
Uniform Plumbing Code of India (UPC-I®)

Products are certified to the following standard
WEP I-2024

File Number: 1006

Void After: January 2027



Tom Palkon
Executive Vice President and
Chief Technical Services Officer
The IAPMO Group.

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO India Product Listing Directory at <https://listings.iapmo.org/indiapld.iapmo.org>

This listing period is based upon the last date of the month indicated on the Executive Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru - 560100



CERTIFICATE OF LISTING

Issued To: HINDWARE LIMITED

File Number: 1006

Product: Dual Flush Water Closets

Void After: January 2027

Identification:

The manufacturer's name or registered trademark, or, in the case of private labeling, the name of the customer for whom the fixture was manufactured should be permanently applied so as to be legible, readily identified, and located so as to be visible after installation. The model number of each water closet, or bowl and tank model numbers in the case of close-coupled water closets, shall be applied on each component so as to be legible and visible after installation.

Each water closet shall be marked, identifying the water consumption of the fixture. This disclosure shall be expressed in terms of liters per flush as follows:

- a) 4.8 Lpf, or the actual tested water consumption, if lower, for high-efficiency water closets.
- b) 6.0 Lpf, or the actual tested water consumption, if lower, for low consumption water closets.

Each Gravity flush tank shall be permanently marked by the manufacturer with a water level mark, or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the vitreous body in the tank, the tank liner, or the flush-valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm.

Water closet tanks shall have a label indicating at least the following:

- a) the telephone number of a service department from which end-users can obtain replacement parts;
- b) the serial or part number of the flush valve seal; and
- c) information on procuring replacement parts for maintaining the original flush volume.

All packaging for vitreous plumbing fixtures shall be marked with the manufacturer's name or registered trademark, or, in case of private labeling, the name of the customer for whom the fixture was manufactured, and the model number of the fixture. Listed products shall bear the UPC-I/WEP-I™ star rating certification mark with or without the term 'GREEN' on top of the mark.

Characteristics:

Water closets equipped with a dual flushing device. To be installed to the manufacturer's instructions and requirements of the latest edition of the Uniform Illustrated Plumbing Code – India (UIPC-I). Products comply to applicable sections of the latest edition of the Uniform Illustrated Plumbing Code – India, ASME A112.19.2-2018/CSA B45.1-18 and 2024 Water Efficient Products – India (WEP-I), and IGBC and LEED® Green Rating Systems. Sample models listed on this certificate were tested by an IAPMO India recognized laboratory that was found compliant to applicable requirements in ISO/IEC 17025

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru - 560100

Listel Models:

Dual Flush Gravity Flow EWC Model	Flush Lpf (High/Low)		Baseline Savings Lpf (High/Low)	2024 WEP-I Star Rating	2013 GPCS-I Green Effective Max. Flush (Lpf)	IGBC Green Rating System		LEED Green Rating System	
	Baseline	Rated				Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴
2 PC 20028 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
21038 Cistern Constellation Wall Hung Extended	6.0 / 3.0	3.71 / 2.29	2.29 / 0.71 38% / 24%	★★★★	2.76	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
2 PC Floor Mount 20050 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
21033 Cistern, or 21034 Cistern Cleo 'S-220/190	6.0 / 3.0	3.57 / 2.76	2.43 / 0.24 40% / 8%	★★★★	3.03	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 4	WE Credit 3 Points: 4
2 PC 20058 EWC	6.0 / 3.0	4.61 / 2.53	1.39 / 0.47 23% / 16%	★★★	3.22	WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
21028 Cistern Studio 'P Wall Hung Extended						WE Credit 4 Points: 0	WC Credit 6 Points: 2	WE Credit 3 Points: 0	WE Credit 3 Points: 0
Wall Hung 20069 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Lara with R&T G3004 Concealed Cistern	6.0 / 3.0	3.73 / 1.86	2.27 / 1.14 38% / 38%	★★★★	2.48	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
Wall Hung 20082 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Mario with R&T G3004 Concealed Cistern	6.0 / 3.0	3.54 / 1.16	2.46 / 1.84 41% / 61%	★★★★	1.95	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 4	WE Credit 3 Points: 4
2 PC 20084 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
21052 Cistern Mario 'P Wall Hung Extended	6.0 / 3.0	3.42 / 1.25	2.58 / 1.75 43% / 58%	★★★★	1.97	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 4	WE Credit 3 Points: 4
Wall Hung 92024 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Enigma with R&T G3004 Concealed Cistern	6.0 / 3.0	3.66 / 1.53	2.34 / 1.47 39% / 49%	★★★★	2.24	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
1 PC EWC 92038	6.0 / 3.0	3.75 / 1.72	2.25 / 1.28 38% / 43%	★★★★	2.40	WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Olivia 'S-300 Floor Mount						WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
1 PC EWC 92042	6.0 / 3.0	3.72 / 1.82	2.28 / 1.18 38% / 39%	★★★★	2.45	WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Olivia 'S-220 Floor Mount						WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
1 PC EWC 92048	6.0 / 3.0	3.71 / 2.20	2.29 / 0.80 38% / 27%	★★★★	2.70	WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Elba 'S-220 Floor Mount						WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3

IAPMO INDIA PRIVATE LIMITED

38/1 & 2, First Floor, Beratena Agrahara, Hosur Main Road, Bengaluru - 560100

Dual Flush Gravity Flow EWC Model	Flush Lpf (High/Low)		Baseline Savings Lpf (High/Low)	2024 WEP-I Star Rating	2013 GPCS-I Green Effective Max. Flush (Lpf)	IGBC Green Rating System		LEED Green Rating System	
	Baseline	Rated				Homes ¹	Factory Bldg ²	CS ³	NC&MR ⁴
Wall Hung 92051 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Essence with R&T G3004 Concealed Cistern	6.0 / 3.0	3.70 / 1.94	2.30 / 1.06 38% / 35%	★★★★	2.53	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
Wall Hung 92081 EWC						<u>WE Mandatory Requirement 2</u>	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Element with R&T G3004 Concealed Cistern	6.0 / 3.0	3.70 / 1.55	2.30 / 1.45 38% / 48%	★★★★	2.27	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
1 PC EWC 92082	6.0 / 3.0	3.51 / 1.38	2.49 / 1.62 42% / 54%	★★★★	2.09	<u>WE Mandatory Requirement 2</u>	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Element 'S' 30cm Floor Mount						WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 4	WE Credit 3 Points: 4
1 PC EWC 92084	6.0 / 3.0	3.67 / 2.26	2.33 / 0.74 39% / 25%	★★★★	2.73	WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Element 'S'-220 Floor Mount						WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 3	WE Credit 3 Points: 3
1 PC EWC 92085	6.0 / 3.0	3.55 / 1.67	2.45 / 1.33 41% / 44%	★★★★	2.30	WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Element 'S' 10cm Floor Mount						WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 4	WE Credit 3 Points: 4
Wall Hung 92502 EWC						WE Mandatory Requirement 2	WC Mandatory Requirement 2	WE Prerequisite 1	WE Prerequisite 1
Enigma Slim with R&T G3004 Concealed Cistern	6.0 / 3.0	3.50 / 1.47	2.50 / 1.53 42% / 51%	★★★★	2.15	WE Credit 4 Points: 4	WC Credit 6 Points: 4	WE Credit 3 Points: 4	WE Credit 3 Points: 4

Product/ Model			Water Consumption (Liters/flush; Liters/min; Liters/cycle)				2024 WEP-I Star Rating	IGBC Green Rating System		LEED Green Rating System	
S.N	Product/ Customer Code	Product Description	Baseline	Rated	Savings	Homes ¹		Factory Bldg ²	CS ³	NC&MR ⁴	
NEW PRODUCTS											
1	92638	EWC One pc Ace S-220	6.0/3.0	3.58/1.41	2.42/1.59	40%/53%	★★★★	4	4	4	4
2	92639	EWC One pc Prima S-220	6.0/3.0	3.54/1.36	2.46/1.64	41%/54%		4	4	4	4
3	20122	EWC One pc Aspiro S-220	6.0/3.0	3.66/1.60	2.34/1.40	39%/46%		4	4	4	4
4	92643	EWC One pc Magna S-220	6.0/3.0	3.58/1.53	2.42/1.47	40%/49%		4	4	4	4
5	92569	EWC WM Cora Vortex	6.0/3.0	3.61/1.52	2.39/1.48	39%/49%		4	4	4	4
6	92538	EWC WM Amazon Aquasheet	6.0/3.0	3.43/1.41	2.57/1.59	42%/53%		4	4	4	4
7	96016	Kango Urinal	1.00	0.75	0.25	25%		2	4	2	4